Descriptors in this column HUST be filled in	Descriptors in this column SHOULD be filled in
conus: Cucumis	CULTURAL PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES: flexuosis	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 398	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res. Dep., Doki	ki .
DATE OF COLLECTION: 30-6-186	SOWING HONTH:
	HARVEST HONTH:
COUNTRY OF COLLECTION: Egypt	USACE (specify):
PROVINCE/STATE: Cairo	
LOCATION OF COLLECTION SITE	
nearest town/village: Cairo	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 30° N S	(specify):
LONGITUDE OF SITE: 31° E W	(Specify).
ATTITUDE OF SITE: (m)	
	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
wild l village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) (8)	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild l primitive cultivar/landrace (4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
breeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Balady	slope 2 low 2
Baraay	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	$egin{array}{lll} {\sf sand} & {\sf l} & {\sf poor} & {\sf l} \end{array}$
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed 2 both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS:
	Shaapan El Korma
QUANTITY OF MATERIAL (number of seeds or plant	45 Gomheria Street
samples):	Opera Place

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHOULD be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 394	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res.Dep., Dol	(ki
DATE OF COLLECTION: 30-6-186	SOWING HONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USAGE (specify):
PROVINCE/STATE: Cairo	
LOCATION OF COLLECTION SITE	
nearest town/village:Cairo	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	
300	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 30° N S LONGITUDE OF SITE: 31° E W	(specify):
FOUNCTIONS OF SITE: 31 E W	
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one) seed shop	swamp 1
wild 1 village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) 🔞	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild 1 primitive cultivar/landrace (4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
preeder's line 3 other (specify) 6	level 1 none 1
•	slope 2 low 2
LOCAL NAME: Balady	summit 3 medium 3
ATHERE OF BUILDING	depression 4 rocky
NUMBER OF PLANTS SAMPLED:	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOCRAPH (circle one): yes no	sand l poor l
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
	OTHER OBSERVATIONS:
HERBARIUM SAMPLE (circle one): yes - no	Shaapan El Korma
QUANTITY OF HATERIAL (number of seeds or plant	45 Gomheria Street
samples):	Opera Place

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHOULD be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: sativus	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 393	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res.Dep., Dok	ki
DATE OF COLLECTION: 30-06-86	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USACE (specify):
PROVINCE/STATE: Cairo	
LOCATION OF COLLECTION SITE	
nearest town/village: Cairo	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE DE SITE. 300 N. S	
LATITUDE OF SITE: 30° N S LONGITUDE OF SITE: 31° E W	(specify):
ATTITUDE OF SITE: (m)	
	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
wild 1 village market 5	
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) 8	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild l primitive cultivar/landrace $oldsymbol{4}$.	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
breeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Balady	slope 2 low 2
	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	sand l poor l
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
HERBARIUH SAMPLE (circle one): yes no	OTHER OBSERVATIONS: Shaapan El Korma
OUNTERN OF MATERIAL /	45 Gomheriastreet, Opera Place Cairo
QUANTITY OF HATERIAL (number of seeds or plant	
samples):	

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHOULD be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 388	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res.Dep., Dok	ki
DATE OF COLLECTION: 29-6-186	SOWING HONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USAGE (specify):
PROVINCE/STATE: Faivum	
LOCATION OF COLLECTION SITE	
nearest town/village: Faiyum/Ebshoway	DISEASE AND PESTS (specify):
distance (in Km): 20	
direction: west of Faiyum	
	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 29° 30' N S	(specify):
LONGITUDE OF SITE: 30° 30' E W	
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp l
wild l village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) 🔞	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild 1 primitive cultivar/landrace(4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
breeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Shailan	slope 2 low 2
EUCAL NAME: SHATIAN	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
NOTIBLE OF FEMALES SAMELED.	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	sand 1 poor 1
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS:
THE TOTAL COLLEGE ONLY. Jes 110	Egyptian Comp. for Agric Development
QUANTITY OF MATERIAL (number of seeds or plant	Mr. Rahea Aly Abdelall
samples):	

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHOULD be filled in
conus: Cucumis	CULTURAL PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES: flexuosis	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 385	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res. Dep., Dokk	i
DATE OF COLLECTION: 29-6-186	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USAGE (specify):
PROVINCE/STATE: Faiyum	
LOCATION OF COLLECTION SITE	
nearest town/village: Faiyum/Ebshoway	DISEASE AND PESTS (specify):
distance (in Km): 20	
direction: west of Faiyum	
	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 29° 30' N S	(specify):
LONGITUDE OF SITE: 30° 30' E W	
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
wild l village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) (8)	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild 1 primitive cultivar/landrace (4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
preeder's line 3 other (specify) 6	level 1 none 1
	slope 2 . low 2
LOCAL NAME: Balady	summit 3 medium 3
ANIMORD OF DIAMITE CAMPLED.	depression 4 rocky
NUMBER OF PLANTS SAMPLED:	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	sand 1 poor 1
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
	OTHER OBSERVATIONS:
HERBARIUH SAMPLE (circle one): yes no	Egyptian Comp. for Agric. Development
QUANTITY OF HATERIAL (number of seeds or plant	Mr. Rahea Alv Abdelall
samples):	

Descriptors in this column <u>HUST</u> be filled in	Descriptors in this column SHOULD be filled in
Cucumis Cucumis	CULTURAL PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES: flexuosis	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 382	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res. Dep., Dol	ki e
DATE OF COLLECTION: 29-06-86	SOWING HONTH:
	HARVEST HONTH:
COUNTRY OF COLLECTION: Egypt	USACE (specify):
PROVINCE/STATE: Faiyum	
LOCATION OF COLLECTION SITE	
nearest town/village: Faiyum	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	
200 201	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 290 30 N S	(specify):
LONGITUDE OF SITE: 310 E W	
ATTITUDE OF SITE: (m)	TOPOCRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
wild 1 village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) 8	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild 1 primitive cultivar/landrace (4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	
preeder's line 3 other (specify) 6	level 1 none 1
	slope 2 low 2
LOCAL NAME: Balady: long	summit 3 medium 3
MINDED OF DIANTE CANDIED.	depression 4 rocky
NUMBER OF PLANTS SAMPLED:	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOCRAPH (circle one): yes no	sand l poor l
Photo number:	loam 2 moderate 2
:	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
	OTHER OBSERVATIONS: Mr. Ahmed Hessan Hassar
HERBARIUH SAMPLE (circle one): yes no	Elwakidi-Mabiada
QUANTITY OF HATERIAL (number of seeds or plant	
samples):	

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHOULD be filled in
cirus: Cucumis	CULTURNE PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 378	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res. Dep. Dokk	<i< td=""></i<>
DATE OF COLLECTION: 29-6-186	SOWING MONTH:
;	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USACE (specify):
PROVINCE/STATE: Faiyum	
LOCATION OF COLLECTION SITE	
nearest town/village: Faiyum	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	455007475D WYLD AND WEEDY SD50750 AND SD007
LATITUDE OF SITE: 29° 30' N S	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 29 30' N S	(specify):
LONGITUDE OF SITE: 31° E W	
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
wild 1 village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) 🔞	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild 1 primitive cultivar/landrace(4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
oreeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Bassosi	slope 2 low 2
EUCHE IVAILE. BUSSIST	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
TOTAL CONTRACTOR OF THE LESS O	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOCRAPH (circle one): yes no	sand 1 poor 1
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed 2 both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS:
	Mr. Ahmed Hessan Hassan
QUANTITY OF MATERIAL (number of seeds or plant	Elwakidi-Mabiada
samples):	

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column <u>SHOULD</u> be filled in
CCINUS: Cucumis	CULTURAL PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 373	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res.Dep., Dok	ki
DATE OF COLLECTION: 29-06-86	SOWING MONTH:
	HARVEST HONTH:
COUNTRY OF COLLECTION: Egypt	USACE (specify):
PROVINCE/STATE: Faiyum	*
LOCATION OF COLLECTION SITE	
nearest town/village:Faivum	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 29° 30' N S	(specify):
LONGITUDE OF SITE: 310 E W	(Specify).
ATTITUDE OF SITE: (m)	
	TOPOCRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
	flood plain 2
	plain level 3
farmstore 3 institute 7	-
backyard 4 other (specify) (8)	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild l primitive cultivar/landrace(4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
breeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Locally multiplied Shahad	slope 2 low 2
Kos Assal	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	sand l poor l
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS: Mr. Hassan Nassar
CHARLETTY OF MATERIAL Annahum of the second	Egyptian Seed Company
QUANTITY OF MATERIAL (number of seeds or plant	Medan El Mahata
samples):	

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHOULD be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: sativus	shifting (circle one) yes no
SUBSPECIES: flexuosis	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 366	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res. Dep., Dok	ki
DATE OF COLLECTION: 28-6-186	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USAGE (specify):
PROVINCE/STATE: Sharkia	•
LOCATION OF COLLECTION SITE	
nearest town/village: Zaqazik	DISEASE AND PESTS (specify):
distance (in Km):	*****
direction:	ACCOUNTED HAVE AND HEEDY ODGOTTO AND COOLS
LATITUDE OF SITE: 30° 30' N S	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 30° 30' N S LONGITUDE OF SITE: 31° 30' E W	(specify):
ATTITUDE OF SITE: (m)	TOPOCRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp l
wild l village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) (8)	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild 1 primitive cultivar/landrace \bigoplus	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
breeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: El Shany	slope 2 low 2
EDG/16 TV4 16.5	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	sand 1 poor 1
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed ② both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS:
	Company for Seeds and Chemicals
QUANTITY OF HATERIAL (number of seeds or plant	Mohamed Ibrahim Atteva
samples):	Elnukrashy Street

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHOULD be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES: flexuosis	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 365	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res.Dep.,Dok	ki
DATE OF COLLECTION: 28-6-186	SOWING MONTH:
	HARVEST HONTH:
COUNTRY OF COLLECTION: Egypt	USACE (specify):
PROVINCE/STATE: Sharkia	
LOCATION OF COLLECTION SITE	·
nearest town/village: Zagazik	DISEASE AND PESTS (specify):
distance (in Km):	•
direction:	ACCORTATED WILD AND WEEDLY EDECTED AND COORD
LATITUDE OF SITE: 30° 30' N S	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
	(specify):
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	3
backyard 4 other (specify) (8)	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild 1 primitive cultivar/landrace $\binom{4}{4}$	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
breeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: El Gamusi	slope 2 low 2
Evolution in the contract of t	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOCRAPH (circle one): yes no	sand 1 poor 1
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS:
	Company for Seeds and Chemicals
QUANTITY OF MATERIAL (number of seeds or plant	Mohamed Ibrahim Atteya
samples):	Elnukrashy Street

Descriptors in this column <u>HUST</u> be filled in	De	scriptors in this	column S	HOULD be	filled in	n
CERUS: Cucumis	α	ILTURAL PRACTICES:				
SPECIES: sativus	-	shifting (circle	one)	yes	no	
SUBSPECIES:		irrigated (circle	e one)	yes	no	
	,	transplanted (ci	rcle one)	yes	no	
COLLECTOR'S NUMBER: 364		terraced (circle	one)	yes	no	
COLLECTING INSTITUTE: Vegetable Res. Dep.,						
DATE OF COLLECTION: 28-6-186	. so	OWING HONTH:				
	H	ARVEST MONTH:			:	
COUNTRY OF COLLECTION: Egypt	. US	SACE (specify):				
PROVINCE/STATE: Sharkia						-
LOCATION OF COLLECTION SITE	·					
nearest town/village: Zagazik	ַ מ	ISEASE AND PESTS (specify):	-		
distance (in Km):						
direction:	- 4	COCTATED WILD AND	שברטע כר	CCTCC AND	coope	
LATITUDE OF SITE: 30° 30' N S LONGITUDE OF SITE: 31° 30' E W		SSOCIATED WILD AND				
LONGITUDE OF SITE: 31° 30' E W	•	specify):				
ATTITUDE OF SITE: (m)						
	- T(OPOGRAPHY (circle	one)			
COLLECTION SOURCE (circle one)		swamp	1			
wild l village market		flood plain		•		
farmland 2 commercial market	6	plain level	3			
farmstore 3 institute	~	undulating	4			
backyard 4 other (specify)	8)	hilly				
STATUS OF SAMPLE (circle one) seed shop		mountainous	6			
<pre>wild l primitive cultivar/landrace</pre>	4) .	other (specify)	7			
weedy 2 advanced cultivar (bred)	5 S	ITE (circle one)	5	STONINESS	(circle	one)
preeder's line 3 other (specify)	6	level	1		none	1
LOCAL NAME: Balady		slope	2	•	low	. 2
	-	summit	3	m	edium	3
NUMBER OF PLANTS SAMPLED:		depression	4		rocky	
		OIL TEXTURE (circl	e one) (DRAINAGE	(circle	one)
PHOTOGRAPH (circle one): yes no		sand	1		poor	1
Photo number:	-	loam	2	mod	erate	2
		clay	3		good	3
TYPE OF SAMPLE (circle one)		· silt	4	exce	ssive	4
vegetative l seed 2 both	3	highly organic	5			
HERBARIUH SAMPLE (circle one): yes no		THER OBSERVATIONS:				
·	-	ompany for Sec			<u>als</u>	_
QUANTITY OF HATERIAL (number of seeds or plant	-	ohamed Ibrahir		'a		
samples):	- <u>E</u>	Inukrashy Stre	ec			
		•				

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHO	ULD be filled in
cerus: Cucumis	CULTURAL PRACTICES:	1
SPECIES: melo	shifting (circle one)	yes no
SUBSPECIES:	irrigated (circle one)	yes no
•	transplanted (circle one)	yes no
COLLECTOR'S NUMBER: 351	terraced (circle one)	yes no
COLLECTING INSTITUTE: Vegetable Res. Dep., Dokk	i	
DATE OF COLLECTION: 28.06.86	SOWING MONTH:	
	HARVEST HONTH:	
COUNTRY OF COLLECTION: Egypt	USAGE (specify):	
PROVINCE/STATE: Sharkia		
LOCATION OF COLLECTION SITE		
nearest town/village: Zagazik	DISEASE AND PESTS (specify):	
distance (in Km):		,
direction:		
	ASSOCIATED WILD AND WEEDY SPEC	
LATITUDE OF SITE: $30^{\circ} 30^{\circ}$ N S LONGITUDE OF SITE: $31^{\circ} 30^{\circ}$ E W	(specify):	
LONGITUDE OF SITE: 31 30 E W		
ATTITUDE OF SITE:(m)	TOPOGRAPHY (circle one)	•
COLLECTION SOURCE (circle one)	swamp l	
wild l village market 5	flood plain 2	
farmland 2 commercial market 6	plain level 3	
farmstore 3 institute 7	undulating 4	
backyard 4 other (specify) (8)	hilly 5	
STATUS OF SAMPLE (circle one) seed shop	mountainous 6	
wild 1 primitive cultivar/landrace 4	other (specify) 7	
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STO	NINESS (circle one)
preeder's line 3 other (specify) 6	level 1	none 1
	slope 2	. low 2
LOCAL NAME: Ismaellawi	summit 3	medium 3
	depression 4	rocky
NUMBER OF PLANTS SAMPLED:	SOIL TEXTURE (circle one) DRA	•
PHOTOCRAPH (circle one): yes no	•	poor 1
Photo number:		moderate 2
	clay 3	good 3
TYPE OF SAMPLE (circle one)	silt 4	excessive 4
vegetative 1 seed (2) both 3	highly organic 5	3
	3 . 3	sa shop
HERBARIUM SAMPLE (circle one): yes no		ad Zag
QUANTITY OF MATERIAL (number of seeds or plant	Zagaz	
samples):	Zayaz	
00mp 2007 1		

Descriptors in this column MUST be filled in	Descriptors in this column \underline{SHOULD} be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: sativus	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 349	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res.Dep., Do	kki
DATE OF COLLECTION: 28.06.86	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USAGE (specify):
PROVINCE/STATE: Sharkia	
LOCATION OF COLLECTION SITE	
nearest town/village: Zagazik	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	
300 30	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 30° 30' N S	(specify):
LONGITUDE OF SITE: 31° 30' E W	
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp l
wild l village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) (8)	hilly 5
STATUS OF SAMPLE (circle one)	mountainous 6
wild 1 primitive cultivar/landrace $\stackrel{\textstyle (4)}{}$	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
oreeder's line 3 other (specify) 6	level 1 none 1
	slope 2 low 2
LOCAL NAME: Locally multiplied Beth Alpha	summit 3 medium 3
NUMBER OF DIANTE CAMBIED.	depression 4 rocky
NUMBER OF PLANTS SAMPLED:	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	sand l poor l
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
	OTHER OBSERVATIONS: Abu Tsa shop
HERBARIUM SAMPLE (circle one): yes no	30 Saad Zag
QUANTITY OF MATERIAL (number of seeds or plant	Zagazik
samples):	

Descriptors in this column MUST be filled in	Descriptors in this column SHOULD be filled in
CERUS: Cucumis	CULTURAL PRACTICES:
SPECIES:melo	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 344	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res. Dep., Dokk	i.
DATE OF COLLECTION:	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USAGE (specify):
PROVINCE/STATE: Sharkia	
LOCATION OF COLLECTION SITE	
nearest town/village: Zagazik/Hoad El_	DISEASE AND PESTS (specify):
distance (in Km): 15 Tarfa	
direction: West of Zagazik	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 300 30' N S	(specify):
LONGITUDE OF SITE: 310 30' E W	
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
wild 1 village market 5	flood plain 2
farmland 2 commercial market 6	·
farmstore (3) institute 7	·
backyard 4 other (specify) 8	hilly 5
STATUS OF SAMPLE (circle one)	mountainous 6
wild 1 primitive cultivar/landrace (4)	other (specify) 7 Nile Delta
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
preeder's line 3 other (specify) 6	level 1 none 1
LOCAL MANE. Balady from Libya	slope 2 . low 2
LOCAL NAME: Balady from Libya	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
NONDER OF FERRIS SAFFLED:	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOCRAPH (circle one): yes no	sand l poor l
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed 2 both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS: Farmer: Fatthi Hassan
·	Abdel Aziz Hassan
QUANTITY OF MATERIAL (number of seeds or plant	
samples):	

Descriptors in this column MUST be filled in	Descriptors in this column SHOU	LD be filled in
CENUS: Cucumis	CULTURAL PRACTICES:	*
SPECIES: melo	shifting (circle one)	yes no
SUBSPECIES: flexuosis	irrigated (circle one)	yes no
,	transplanted (circle one)	yes no
COLLECTOR'S NUMBER: 336	terraced (circle one)	yes no
COLLECTING INSTITUTE: Vegetable Res.Dep., Do	kki	
DATE OF COLLECTION: 26-06-86	SOWING MONTH:	
_	HARVEST MONTH:	
COUNTRY OF COLLECTION: Egypt	USAGE (specify):	
PROVINCE/STATE: Behaira		
LOCATION OF COLLECTION SITE		
nearest town/village: Damanhour	DISEASE AND PESTS (specify):	
distance (in Km):		
direction:	ACCOUNTED WILD AND WEEDLY OFFICE	50 AUD 00000
LATITUDE OF SITE: 310 N S	ASSOCIATED WILD AND WEEDY SPECI	
LATITUDE OF SITE: 31 N S	(specify):	
LONGITUDE OF SITE: 30° 30° E W		
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)	
COLLECTION SOURCE (circle one)	swamp l	
wild l village market 5	flood plain 2	
farmland 2 commercial market 6	plain level 3	
farmstore 3 institute 7	undulating 4	
backyard 4 other (specify) 🔞	hilly 5	
STATUS OF SAMPLE (circle one) seed shop	mountainous 6	
wild 1 primitive cultivar/landrace (4)	other (specify) 7	
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STON	INESS (circle one)
reeder's line 3 other (specify) 6	level 1	none 1
LOCAL NAME: Balady	slope 2	low 2
EUCAL NAME: Dalady	summit 3	medium 3
ANUMBED OF DUANTE CAMBUED.	depression 4	rocky
NUMBER OF PLANTS SAMPLED:	SOIL TEXTURE (circle one) DRAI	•
PHOTOGRAPH (circle one): yes no	sand 1	poor l
Photo number:	loam 2	moderate 2
	clay 3	good 3
TYPE OF SAMPLE (circle one)	silt 4	excessive 4
vegetative l seed (2) both 3	highly organic 5	
•	OTHER OBSERVATIONS:	
HERBARIUM SAMPLE (circle one): yes no	Seed shop owner: Mohame	d Rehema
QUANTITY OF MATERIAL (number of seeds or plant		
samples):		

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column <u>5HOULD</u> be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: melo -	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 329	terraced (circle one) yes no
COLLECTING INSTITUTE: Veg. Res. Dep., Dokki	
DATE OF COLLECTION: 25-6-86	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USACE (specify):
PROVINCE/STATE: Mersah-Matrouh	
LOCATION OF COLLECTION SITE	
<pre>nearest town/village:M.Matrouh/ElKasr</pre>	DISEASE AND PESTS (specify):
distance (in Km): 12	
direction: west of MMatrouh	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 310 N S	(specify):
LONGITUDE OF SITE: 27° E W	(Specify).
ATTITUDE OF SITE: (m)	
	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
wild 1 village market 5	•
farmland 2 commercial market 6	•
farmstore (3) institute 7	undulating 4
backyard 4 other (specify) 8	hilly 5
STATUS OF SAMPLE (circle one)	mountainous 6 other (specify) 7
wild l primitive cultivar/landrace(4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
oreeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Balady	slope 2 low 2
	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	sand 1 poor 1
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed $\binom{2}{2}$ both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS: farmer: Saleh Rahel
QUANTITY OF MATERIAL (number of seeds or plant	***************************************
samples):	

Descriptors in this column <u>HUST</u> be filled in	Descriptors in this column SHOULD be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: melo.	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 325	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res. Dep., Dok	ki
DATE OF COLLECTION: 23-06-86	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USAGE (specify):
PROVINCE/STATE: Dakhlia	
LOCATION OF COLLECTION SITE	•
nearest town/village: Mansura	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE DE CITE. 210 N C	
LATITUDE OF SITE: 31° N S LONGITUDE OF SITE: 31° 30° E W	(specify):
ATTITUDE OF SITE: (m)	
	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp l
wild l village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) (8)	hilly 5
STATUS OF SAMPLE (circle one)	mountainous 6
wild 1 primitive cultivar/landrace $\stackrel{\bullet}{4}$	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
reeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Balady	slope 2 low 2
	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOCRAPH (circle one): yes no	sand 1 poor 1
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed 2 both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS: Seed shop owner:
	Abdel-Monem Mosa, Egyptian Company for
QUANTITY OF MATERIAL (number of seeds or plant	Agriculture for vegetable seeds and
samples):	insecticides, Mansura City, Sok El Togar
	Street

Descriptors in this column HUST be filled in	Descriptors in this column <u>SHOULD</u> be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES: melo	shifting (circle one) yes no
SUBSPECIES: flexuosis	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S NUMBER: 322	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res.Dep., Dol	<ki< td=""></ki<>
DATE OF COLLECTION: 23.06.86	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USAGE (specify):
PROVINCE/STATE: Dakhlia	
LOCATION OF COLLECTION SITE	
nearest town/village: Mansura	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	
0	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 310 N S	(specify):
LONGITUDE OF SITE: 31° 30° E W	
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp l
wild 1 village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) 8	hilly 5
STATUS OF SAMPLE (circle one) seed shop	mountainous 6
wild 1 primitive cultivar/landrace 4	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
oreeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Balady	slope 2 . low 2
EUCAL HAME: Dallauy	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
HOHOLIK OF FERRIS SAMELED.	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	sand l poor l
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS: Seed shop owner:
HEREMITON SAMEL (CITCLE ONE). YES NO	Abdel-Monem Mosa, Egyptian Company for
QUANTITY OF MATERIAL (number of seeds or plant	Agriculture for vegetable seeds and
samples):	insecticides, Mansura City, Sok El Togar
	Street

Descriptors in this column <u>MUST</u> be filled in	Descriptors in this column SHOULD be filled in
CENUS: Cucumis	CULTURAL PRACTICES:
SPECIES:sativus	shifting (circle one) yes no
SUBSPECIES:	irrigated (circle one) yes no
	transplanted (circle one) yes no
COLLECTOR'S HUMBER: 323	terraced (circle one) yes no
COLLECTING INSTITUTE: Vegetable Res. Dep., Dok	ki
DATE OF COLLECTION: 23.06.86	SOWING MONTH:
	HARVEST MONTH:
COUNTRY OF COLLECTION: Egypt	USACE (specify):
PROVINCE/STATE: <u>Dakhlia</u>	:
LOCATION OF COLLECTION SITE	
nearest town/village: Mansura	DISEASE AND PESTS (specify):
distance (in Km):	
direction:	ACCOUNTED WITH A AND WEEDLY CONCURS AND COORDS
	ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
LATITUDE OF SITE: 310 N S	(specify):
LONGITUDE OF SITE: 31° 30° E W	
ATTITUDE OF SITE: (m)	TOPOGRAPHY (circle one)
COLLECTION SOURCE (circle one)	swamp 1
wild 1 village market 5	flood plain 2
farmland 2 commercial market 6	plain level 3
farmstore 3 institute 7	undulating 4
backyard 4 other (specify) (8)	hilly 5
seed shop STATUS OF SAMPLE (circle one)	mountainous 6
wild l primitive cultivar/landrace (4)	other (specify) 7
weedy 2 advanced cultivar (bred) 5	SITE (circle one) STONINESS (circle one)
oreeder's line 3 other (specify) 6	level 1 none 1
LOCAL NAME: Balady	slope 2 . low 2
Eddle Wile. Balady	summit 3 medium 3
NUMBER OF PLANTS SAMPLED:	depression 4 rocky
	SOIL TEXTURE (circle one) DRAINAGE (circle one)
PHOTOGRAPH (circle one): yes no	$egin{array}{lll} sand & l & poor & l \end{array}$
Photo number:	loam 2 moderate 2
	clay 3 good 3
TYPE OF SAMPLE (circle one)	silt 4 excessive 4
vegetative 1 seed (2) both 3	highly organic 5
HERBARIUM SAMPLE (circle one): yes no	OTHER OBSERVATIONS: Seed shop owner:
	Abdel-Monem Mosa, Egyptian Company for
QUANTITY OF MATERIAL (number of seeds or plant	Agriculture for vegetable seeds and
samples):	insecticides, Mansura City, Sok El Togar
	Street