

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 239COLLECTING INSTITUTE: Hort. Res. Inst.DATE OF COLLECTION: 23 May 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Giza

LOCATION OF COLLECTION SITE

nearest town/village: Giza

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 30° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>(8)</u>

STATUS OF SAMPLE (circle one) Hort.Res.Inst.

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: Dark GreenNUMBER OF PLANTS SAMPLED: UnknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: _____

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 217COLLECTING INSTITUTE: Hort.Res.Inst., GizaDATE OF COLLECTION: 21 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Cairo

LOCATION OF COLLECTION SITE

nearest town/village: Cairo

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 30° N SLONGITUDE OF SITE: 31° 30' E W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: _____

PHOTOGRAPH (circle one): yes no

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	2	both	3
------------	---	------	---	------	---

HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Seed shop owner:Ahmed Ali El Bamby2 Ahmed Maher SquareBab El Khalk, Cairo

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: serriola

SUBSPECIES: _____

COLLECTOR'S NUMBER: 197COLLECTING INSTITUTE: Hort.Res.Inst., GizaDATE OF COLLECTION: 17 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Asyut

LOCATION OF COLLECTION SITE

nearest town/village: Asyut

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 27° (N) SLONGITUDE OF SITE: 31° (E) WALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one) university of Asyut

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: noNUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed 2 both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

highly organic 5

OTHER OBSERVATIONS: From Dr. MustafaK. Imam

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 196COLLECTING INSTITUTE: Hort.Res.Inst.,GizaDATE OF COLLECTION: 17 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Asyut

LOCATION OF COLLECTION SITE

nearest town/village: Asyut

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 27° (N) SLONGITUDE OF SITE: 31° (E) WALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

Univeristy of
Asyut

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5

breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: From Dr. MostafaK. ImamPrimitive type (cow lettuce) from
Qena (upper Egypt)

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 195COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 17 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Asyut

LOCATION OF COLLECTION SITE

nearest town/village: Asyut

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 27° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

University of
Asyut

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5

breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no

irrigated (circle one) yes no

transplanted (circle one) yes no

terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1	none	1
slope	2	low	2
summit	3	medium	3
depression	4	rocky	4

STONINESS (circle one)

SOIL TEXTURE (circle one)

sand	1	poor	1
loam	2	moderate	2
clay	3	good	3
silt	4	excessive	4
highly organic	5		

DRAINAGE (circle one)

OTHER OBSERVATIONS: From Dr. Mostafa
K. ImamPrimitive Roman type from Banha
(Delta)

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 194COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 17 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Asyut

LOCATION OF COLLECTION SITE

nearest town/village: Asyut

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 27° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

University of
Asyut

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: From Dr. Mostafa
K. ImamPrimitive type (cow lettuce) from Assuan

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 188COLLECTING INSTITUTE: Hort.Res.Inst., GizaDATE OF COLLECTION: 15 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Gharbia

LOCATION OF COLLECTION SITE

nearest town/village: Tanta

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 31° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	(8)

seed shop

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

highly organic 5

OTHER OBSERVATIONS: Local strainSeed shop: El NanaeMedan El SaaTanta

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 185COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 15 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Dakahlia

LOCATION OF COLLECTION SITE

nearest town/village: El Mansura

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 31° (N) SLONGITUDE OF SITE: 31° 30' (E) WALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

seed shop

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

highly organic 5

OTHER OBSERVATIONS: Local strainSeed shop: Ali SlemanSok El-KagatEl Mansura

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 156COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 12 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Gharbia

LOCATION OF COLLECTION SITE

nearest town/village: Mehala El Kobra/distance (in Km): 3 Bolkemadirection: South of MehalaLATITUDE OF SITE: 31° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	<u>(2)</u>	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: 3PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes noirrigated (circle one) (yes) notransplanted (circle one) (yes) noterraced (circle one) yes (no)SOWING MONTH: Oct. transpl. Nov. (sowing: untilHARVEST MONTH: FebruaryUSAGE (specify): saladDISEASES AND PESTS (specify): no

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6

other (specify) (7) Nile Delta

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	<u>(1)</u>
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	<u>(2)</u>
clay	<u>(3)</u>
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	<u>(3)</u>
excessive	4

highly organic 5

OTHER OBSERVATIONS: Local strainFarmer: Said El Aghozy

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 130COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 8 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Minya

LOCATION OF COLLECTION SITE

nearest town/village: Beni-Mazâr

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 28° 30' N SLONGITUDE OF SITE: 31° E W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes no

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	2	both	3
------------	---	------	---	------	---

HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Local strainSeed shop: Gaber Sidhom

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 85COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 2 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Asyut

LOCATION OF COLLECTION SITE

nearest town/village: Asyut

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 27° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>(8)</u>

STATUS OF SAMPLE (circle one) . seed shop

wild 1 primitive cultivar/landrace (4)

weedy 2 advanced cultivar (bred) 5

breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no

irrigated (circle one) yes no

transplanted (circle one) yes no

terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp 1

flood plain 2

plain level 3

undulating 4

hilly 5

mountainous 6

other (specify) 7

SITE (circle one)

level 1

slope 2

summit 3

depression 4

STONINESS (circle one)

none 1

low 2

medium 3

rocky 4

SOIL TEXTURE (circle one)

sand 1

loam 2

clay 3

silt 4

highly organic 5

DRAINAGE (circle one)

poor 1

moderate 2

good 3

excessive 4

OTHER OBSERVATIONS: Local strain fromAl Khodary Seed Co.

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 29COLLECTING INSTITUTE: Hort.Res.Inst., GizaDATE OF COLLECTION: 27 April, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Qena

LOCATION OF COLLECTION SITE

nearest town/village: Deshna /?distance (in Km): 2direction: South of DeshnaLATITUDE OF SITE: 26° (N) SLONGITUDE OF SITE: 32° 30' (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	<u>(2)</u>	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: noNUMBER OF PLANTS SAMPLED: 20PHOTOGRAPH (circle one): (yes) no

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	<u>(yes)</u>	no
transplanted (circle one)	yes	<u>(no)</u>
terraced (circle one)	yes	<u>(no)</u>

SOWING MONTH: NovemberHARVEST MONTH: MayUSAGE (specify): vegetable + oilDISEASES AND PESTS (specify): no

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	<u>(7) Nile Valley</u>

SITE (circle one)

level	<u>(1)</u>	none	<u>(1)</u>
slope	2	low	2
summit	3	medium	3
depression	4	rocky	4

STONINESS (circle one)

SOIL TEXTURE (circle one)

DRAINAGE (circle one)

sand	1	poor	1
loam	<u>(2)</u>	moderate	2
clay	3	good	<u>(3)</u>
silt	4	excessive	4
highly organic	5		

OTHER OBSERVATIONS: Local strain. Oil seed crop. Oil is used for cooking etc. like soya been oil. High vitamin E content

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Lactuca
 SPECIES: sativa
 SUBSPECIES: _____

COLLECTOR'S NUMBER: 28
 COLLECTING INSTITUTE: Nort. Res. Inst., Giza
 DATE OF COLLECTION: 27 April, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Qena

LOCATION OF COLLECTION SITE

nearest town/village: Qena/El Brahma
 distance (in Km): 19
 direction: South of Qena

LATITUDE OF SITE: 26° (N) S
 LONGITUDE OF SITE: 32° 30' (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	<u>(2)</u>	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: noNUMBER OF PLANTS SAMPLED: 25

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	<u>(2)</u>	both	3
------------	---	------	------------	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	<u>(yes)</u>	no
transplanted (circle one)	yes	<u>(no)</u>
terraced (circle one)	yes	<u>(no)</u>

SOWING MONTH: NovemberHARVEST MONTH: April/MayUSAGE (specify): Vegetable + Oil productionDISEASES AND PESTS (specify): no

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	<u>(7) Nile Valley</u>

SITE (circle one)

level	<u>(1)</u>	none	<u>(1)</u>
slope	2	low	2
summit	3	medium	3
depression	4	rocky	4

STONINESS (circle one)

SOIL TEXTURE (circle one)

sand	1	poor	1
loam	<u>(2)</u>	moderate	2
clay	3	good -	<u>(3)</u>
silt	4	excessive	4
highly organic	5		

DRAINAGE (circle one)

OTHER OBSERVATIONS: Local strainOil seed cropsOil is used for cooking etc, like soya bean oil. High vitamin E content

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: LactucaSPECIES: sativa

SUBSPECIES: _____

COLLECTOR'S NUMBER: 16COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 25 April, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Qena

LOCATION OF COLLECTION SITE

nearest town/village: Isna/Helladistance (in Km): 1direction: South of IsnaLATITUDE OF SITE: 25° 30' (N) SLONGITUDE OF SITE: 32° 30' (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	(2)	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: 1

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	(yes)	no
transplanted (circle one)	yes	(no)
terraced (circle one)	yes	(no)

SOWING MONTH: May (of the seeds)HARVEST MONTH: oil production and (primitive)USAGE (specify): vegetable

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	(7) Nile Valley

SITE (circle one)

level	(1)	none	(1)
slope	2	low	2
summit	3	medium	3
depression	4	rocky	4

STONINESS (circle one)

SOIL TEXTURE (circle one)

sand	1	poor	1
loam	2	moderate	2
clay	(3)	good -	(3)
silt	4	excessive	4
highly organic	5		

DRAINAGE (circle one)

OTHER OBSERVATIONS: Local strainoil production