

PASSPORT

ACCESSION DATA

J.V.T. ALL. 76

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Royal Sluis Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 6895

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ambeloprasum ssp. porrum /

1.6 PEDIGREE/CULTIVAR NAME Blue green winter giant / Alberta

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination.% 82 (41+41)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 80

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- x 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- x 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Alberta

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

1.9 ACCESSION SIZE .50. *gram* ...15000 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 45

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/.BEL*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

(2.16) PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

(2.17) OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

PASSPORT

ACCESSION DATA

J.V.T. ALL. 77

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5511

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porreum

1.6 PEDIGREE/CULTIVAR NAME

Bleu de Solaise / Blue green winter

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 90 (48+42)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 80

1.9 ACCESSION SIZE .50. *gram* ..15000 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 46

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Blue green winter

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

original from "Liège d'Hiver"

short stem

PASSPORT

ACCESSION DATA

J.V.T. All. 78

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5519

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ambeloprasum ssp. porrum

1.6 PEDIGREE/CULTIVAR NAME French summer / Colonna

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 92 (46+46)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 81

1.9 ACCESSION SIZE .51 gram ...15300 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- x 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- x 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 47

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. Box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/...NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Colonna

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- x2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- x2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- x6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

original "Verre de Perpignan"

long stem

PASSPORTACCESSION DATA

J.V.T. ALL. 79

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5521

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)1.4.1 Other number 11.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus*Allium*1.5.2 Species*cepa / ampeloprasum ssp. porrum /*

1.6 PEDIGREE/CULTIVAR NAME Blue autumn / Longina (SG 178)

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 111.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 83 (42+41)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month1.8.2 Year 81

1.9 ACCESSION SIZE ..51. *gram* ...15300 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 48

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Longina (SG 178)

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- x 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- x 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/^{autumn}winter cultivar grown from seeds/sets/transplan

Special characters.

long stem

PASSPORT

ACCESSION DATA

J.V.T. ALL. 80

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5530

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ambeloprasum ssp. porrum

1.6 PEDIGREE/CULTIVAR NAME Summer/ autumn giant / Artaban

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 81 (41+40)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 81

1.9 ACCESSION SIZE .63. gram ..18900 seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- X 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 49

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/FRA*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53°N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

 2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

 2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Artaban

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

stem length: medium

PASSPORT

ACCESSION DATA

J.V.T. ALL. 81

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5532

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus *Allium*

1.5.2 Species *cepa / ampeloprasum ssp. porrum /*

1.6 PEDIGREE/CULTIVAR NAME Autumn giant / Verina

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 73 (36+37)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 80

1.9 ACCESSION SIZE .51. gram ..15300 Seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- x 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- x 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 50

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. Box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Verina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
- + = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

autumn
early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

stem length: medium

PASSPORT

ACCESSION DATA

J.V.T. ALL. 82

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5533

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus *Allium*

1.5.2 Species *cepa / ampeloprasum ssp. porrum /*

1.6 PEDIGREE/CULTIVAR NAME Summer/autumn giant / Otina

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 92 (47+45)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 80

1.9 ACCESSION SIZE .50. *gram* ...15000 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 51

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.V.T.) Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53°N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- x8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- x5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Otina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late autumn summer/winter cultivar grown from seeds/sets/transplan

Special characters.

stem length: medium

PASSPORT

ACCESSION DATA

J.V.T. ALL. 83

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5535

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ambeloprasum ssp. porrum

1.6 PEDIGREE/CULTIVAR NAME Autumn giant / Herwina

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination % 77 (38+39)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 80

1.9 ACCESSION SIZE .50. *gram* ...15000 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 52

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.V.T.)
Wageningen - Netherlands P.O. Box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = .80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/.NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53°N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Herwina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
- + = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- x 2 Seed
- 3 Both

(2.16) PRIMARY CROP USAGE

- 1 Raw salad
- x 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

(2.17) OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

autumn

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

PASSPORT

ACCESSION DATA

J.V.T. ALL. 84

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5536

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porrum

1.6 PEDIGREE/CULTIVAR NAME Katalijnse winter / Catalina

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 92 (46+46)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 80

1.9 ACCESSION SIZE .55. *gram* ..16500 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- X 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 53

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..BEL*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Catalina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

(2.16) PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

(2.17) OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

short stem

original: Katalijnse - Waver. BEL

873480

PASSPORT

ACCESSION DATA

J.V.T. All. 85

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5537

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porrum

1.6 PEDIGREE/CULTIVAR NAME Blue green winter / Carina

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 73 (29+44)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 80

1.9 ACCESSION SIZE 50 gram 15000 seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- x 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- x 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 54

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/.BEL*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), -e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Carina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
- + = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

autumn

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

short stem

PASSPORT

ACCESSION DATA

J.V.T. All. 86

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

①.3 DONOR IDENTIFICATION NUMBER 5539

Number assigned to accession by the donor

①.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

①.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ambeloprasum ssp. porrum

①.6 PEDIGREE/CULTIVAR NAME Mechelse Winter / Melwina

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

①.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 85 (45+40)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 80

1.9 ACCESSION SIZE ...50 gram 15000 Seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- x 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- x 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 55

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53°N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- x8 Other (specify) seed firm

(2.11) STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- x5 Advanced cultivar (bred)
- 6 Other (specify)

(2.12) LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Melwina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late Summer/^{autumn}winter cultivar grown from seeds/sets/transplan

Special characters.

short stem

PASSPORT

ACCESSION DATA

J.V.T. All. 87

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5547

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porrum

1.6 PEDIGREE/CULTIVAR NAME Elephant / Excelsior S & G

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 94 (46+48)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year

1.9 ACCESSION SIZE ..52. *gram* ...15600 *seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 56

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = .80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), -e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Excelsior S & G

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- x 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- x 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

short stem

PASSPORT

ACCESSION DATA

J.V.T. All. 88

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME *SLuis en Groot Enkhuizen Netherlands*

Name of institution or individual responsible for donating the germplasm

①.3 DONOR IDENTIFICATION NUMBER *5555*

Number assigned to accession by the donor

①.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

①.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porrum

①.6 PEDIGREE/CULTIVAR NAME *Blue green winter / Platina*

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month *11*

1.7.2 Year *1982*

①.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 91 (45+46)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year *79*

1.9 ACCESSION SIZE .50. gram ...15000 Seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- x 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- x-5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 57

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52° - 53° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5° - 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- X 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- X 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Platina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

autumn
early/medium/late summer/winter cultivar grown from seeds/sets/transplants

Special characters.

short stem

PASSPORT

ACCESSION DATA

J.V.T. All. 89

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME Sluis en Groot Enkhuizen Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 5560

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porrum

1.6 PEDIGREE/CULTIVAR NAME Blue green winter / Wintina

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1981

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination % 70 (35+35)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 78

1.9 ACCESSION SIZE 50... gram .15000. Seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- X5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 58

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. Box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52°- 53° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5°- 6° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Wintina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

short stem

PASSPORT

ACCESSION DATA

J.V.T. All. 90

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME *Sluis en Groot* *Enkhuizen* *Netherlands*

Name of institution or individual responsible for donating the germplasm

①.3 DONOR IDENTIFICATION NUMBER *PQ 003*

Number assigned to accession by the donor

①.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

①.5 SCIENTIFIC NAME

1.5.1 Genus *Allium*

1.5.2 Species *cepa / ampeloprasum ssp. porrum*

①.6 PEDIGREE/CULTIVAR NAME *Bulgarian giant* / *Badine*

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month *11*

1.7.2 Year *1982*

①.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 71 (33+38)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year *78*

1.9 ACCESSION SIZE 51... gram ...15300 seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- X5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 59

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..BGR*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Noord-Holland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Enkhuizen

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 52°- 53°N

Degrees and minutes followed by N (north) or S (south), -e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 5°- 6°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) seed firm

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Badine

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- X 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

extra long stem

PASSPORT

ACCESSION DATA

J.V.T. ALL. 91

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 78012

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus *Allium*

1.5.2 Species *Cepa / ampeloprasum spp. porrum /*

1.6 PEDIGREE/CULTIVAR NAME cross of Polish variety x Dutch variety

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 86 (44+42)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 78

1.9 ACCESSION SIZE .50. *gram* ..15000 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 60

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51° - 52°N

Degrees and minutes followed by N (north) or S (south), -e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- x 8 Other (specify) breeder

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- x 6 Other (specify) cross of Polish variety x Dutch variety

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
- + = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- x2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- x2 Fresh cooking
- x3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

Further notes

crosses between:

Polish variety x very early Rijnsburger strain to select an early variety with a good skin quality.

PASSPORT

ACCESSION DATA

J.V.T. All. 92

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands
Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 78015

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porrum /

1.6 PEDIGREE/CULTIVAR NAME cross of Dutch variety Wijbo x Russian variety

Nomenclature and designations assigned to breeder's material

Strigonovski

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 53 (27+26)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 78

1.9 ACCESSION SIZE .50. *gram* ..15000 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 61

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/...NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE $51^{\circ} - 52^{\circ}N$

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE $4^{\circ}E$

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- x 8 Other (specify) breeder

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- x 6 Other (specify) cross of Dutch variety x Russian varie

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X2 Fresh cooking
- X3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivated grown from seeds/sets/transplants

Special characters.

Breeding material for a better skin quality.

PASSPORT

ACCESSION DATA

J.V.T. ALL. 93

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER

Number assigned to accession by the donor 78036

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus *Allium*

1.5.2 Species *cepa / ampeloprasum spp. porrum /*

1.6 PEDIGREE/CULTIVAR NAME Rijnsburger strain / line from Westerlo

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 83(42+41)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 78

1.9 ACCESSION SIZE ..50. gram .15000. Seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- x2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- x1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 62

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.V.T.) Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51° - 52°N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- X 8 Other (specify) breeder

(2.11) STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- X 3 Breeders line (C-line)
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

(2.12) LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Westerloo C-line

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
- + = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X2 Fresh cooking
- X3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

Breeding material

PASSPORT

ACCESSION DATA

J.V.T. ALL. 94

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 77056

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus *Allium*

1.5.2 Species *cepa /ampeloprimum spp. porreum/*

1.6 PEDIGREE/CULTIVAR NAME Early Rijnsbur ger strain /vroege Dirkslander

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 80 (39+41)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 77

1.9 ACCESSION SIZE 50... *gram* .15000. *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- X 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 63

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51° - 52° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) breeder

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed vroege Dirkslander

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

very early/medium/late summer/winter cultivar grown from seeds/sets/transplan
Special characters.

PASSPORT

ACCESSION DATA

J.V.T. ALL. 95

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 77078

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum spp. porreum /

1.6 PEDIGREE/CULTIVAR NAME Kaštická

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 87 (43 + 44)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 77

1.9 ACCESSION SIZE ..50. *gram* ...15000 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- X1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 64

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.) Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/....CSK*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51° - 52°N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- X8 Other (specify) breeder

(2.11) STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- X4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

(2.12) LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Kašticka

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X2 Fresh cooking
- X3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

*early/medium/late summer/winter cultivar grown from seeds/sets/transplan
Special characters.*

Czechoslovakia

domestic variety Kaštická / region West-Bohemia

PASSPORT

ACCESSION DATA

J.V.T. ALL. 96

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

①.3 DONOR IDENTIFICATION NUMBER 77083

Number assigned to accession by the donor

①.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

①.5 SCIENTIFIC NAME

1.5.1 Genus *Allium*

1.5.2 Species *cepa /ampeloprasum ssp. porrum/*

①.6 PEDIGREE/CULTIVAR NAME cross of Dutch variety Rijnsburger (Nagelkerke) x

Nomenclature and designations assigned to breeder's material Russian variety Strigonovski

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

①.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination. % 74 (36+38)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 77

1.9 ACCESSION SIZE .50. *gram* .15000. *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 65

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51° - 52° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) breeder

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify) cross of Dutch variety x Russian variety

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

(2.16) PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- X 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

(2.17) OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

Breeding material

PASSPORT

ACCESSION DATA

J.V.T. All. 97

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 76244

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porreum /

1.6 PEDIGREE/CULTIVAR NAME Rijnsburger strain / Maelstede

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 93 (46 + 47)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 76

1.9 ACCESSION SIZE .40. *gram* .12000. *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- X 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 66

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = .80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/...NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51°- 52°N

Degrees and minutes followed by N (north) or S (south), -e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- 8 Other (specify) breeder

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Maelstede

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
- + = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

PASSPORT

ACCESSION DATA

J.V.T. ALL. 98

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 76121

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum spp. porreum /

1.6 PEDIGREE/CULTIVAR NAME cross of Russian variety Strigonovski x Dutch variety

Nomenclature and designations assigned to breeder's material

Maelstede

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination, % 97 (48+49)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 76

1.9 ACCESSION SIZE ...50 gram 15000 Seeds

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- X 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 67

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/...NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51° - 52°N

Degrees and minutes followed by N (north) or S (south), -e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4°E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- x8 Other (specify) breeder

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- x6 Other (specify) cross of Russian var. x Dutch var.

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

0 = No 0

+ = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- x 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- x 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

Breeding material

PASSPORT

ACCESSION DATA

J.V.T. All. 99

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER 79147

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus

Allium

1.5.2 Species

cepa / ampeloprasum ssp. porrum /

1.6 PEDIGREE/CULTIVAR NAME Rijnsburger strain / Rijnsburger C-line

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 11

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination % 83 (42 + 41)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year 79

1.9 ACCESSION SIZE ..50. *gram* .15000. *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- X2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- X1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 68

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (J.V.T.)
Wageningen - Netherlands P.O. box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} OR COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/...NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51° - 52°N

Degrees and minutes followed by N (north) or S (south), -e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- x 8 Other (specify) breeder

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- x 3 Breeders line C-line
- 4 Primitive cultivar (landrace)
- 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Rijnsburger C-line
(Nagelke^r ke)

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
- + = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- X 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- X 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.

Breeding material

PASSPORT

ACCESSION DATA

J.V.T. All. 100

1.1 ACCESSION NUMBER

This number serves as a unique identifier for accessions and is assigned by the curator when an accession is entered into his collection. Once assigned this number should never be reassigned to another accession in the collection. Even if an accession is lost, its assigned number is still not available for re-use. Letters should occur before the number to identify the genebank or national system (e.g. MG indicates an accession comes from the genebank at Bari, Italy. P.I. indicates an accession within the USA system.)

1.2 DONOR NAME v.d. Have Kapelle-Biezelinge Netherlands

Name of institution or individual responsible for donating the germplasm

1.3 DONOR IDENTIFICATION NUMBER

Number assigned to accession by the donor

1.4 OTHER NUMBERS ASSOCIATED WITH THE ACCESSION (other numbers can be added as 1.4.3 etc)

Any other identification number known to exist in other collections for this accession, e.g. USDA Plant Introduction number (not collection number, see 2.1)

1.4.1 Other number 1

1.4.2 Other number 2

1.5 SCIENTIFIC NAME

1.5.1 Genus *Allium*

1.5.2 Species *cepa / ampeloprasum spp. porrum /*

1.6 PEDIGREE/CULTIVAR NAME Early Rijnsburger strain / Adina

Nomenclature and designations assigned to breeder's material

1.7 ACQUISITION DATE

The month and year in which the accession entered the collection, expressed numerically, e.g. June = 06, 1981 = 81

1.7.1 Month 12

1.7.2 Year 1982

1.8 DATE OF LAST REGENERATION OR MULTIPLICATION

Germination % 96 (47+49)

The month and year expressed numerically, e.g. October = 10, 1978 = 78

1.8.1 Month

1.8.2 Year

1.9 ACCESSION SIZE .50. *gram* ..15000 *Seeds*

Approximate number of seeds or plants of accession in collection

1.10 NUMBER OF TIMES ACCESSION REGENERATED

Number of regenerations or multiplications since original collection 0

1.11 TYPE OF MAINTENANCE

- 1 Vegetative
- x 2 Seed
- 3 Both
- 4 Tissue culture

1.12 COMMON NAME

- x 1 Dry bulb onion
- 2 Shallot
- 3 Bunching onion
- 4 Garlic
- 5 Leek
- 6 Kurrat
- 7 Great-headed garlic
- 8 Chive
- 9 Rakkyo
- 10 Chinese chive
- 11 Other (specify)

2. COLLECTION DATA

2.1 COLLECTOR'S NUMBER JB 69

Original number assigned by collector of the sample normally composed of the name or initials of the collector(s) followed by a number. This item is essential for identifying duplicates held in different collections and should always accompany sub-samples wherever they are sent.

2.2 COLLECTING INSTITUTE *Institute for Horticultural Plantbreeding (I.K.T.)
Wageningen - Netherlands P.O. Box 16*

Institute or person collecting/sponsoring the original sample

2.3 DATE OF COLLECTION OF ORIGINAL SAMPLE

Expressed numerically, e.g. March = 03, 1980 = 80

2.3.1 Month 11

2.3.2 Year 1982

2.4 COUNTRY OF COLLECTION ^{and} ~~OR~~ COUNTRY WHERE CULTIVAR/VARIETY BRED *NLD/..NLD*

Use the three letter abbreviations supported by the Statistical Office of the United Nations. Copies of these abbreviations are available from the IBPGR Secretariat and have been published in the FAO/IBPGR Plant Genetic Resources Newsletter number 49.

2.5 PROVINCE/STATE Zeeland

Name of the administrative subdivision of the country in which the sample was collected

2.6 LOCATION OF COLLECTION SITE Kapelle-Biezelinge

Number of kilometres and direction from nearest town, village or map grid reference (e.g. Timbuktu 7S means 7km south of Timbuktu)

2.7 LATITUDE OF COLLECTION SITE 51° - 52° N

Degrees and minutes followed by N (north) or S (south), e.g. 1030S

2.8 LONGITUDE OF COLLECTION SITE 4° E

Degrees and minutes followed by E (east) or W (west), e.g. 7625W

2.9 ALTITUDE OF COLLECTION SITE -3

Elevation above sea level in metres

2.10 COLLECTION SOURCE

- 1 Wild
- 2 Farm land
- 3 Farm store
- 4 Backyard
- 5 Village market
- 6 Commercial market
- 7 Institute
- x 8 Other (specify) breeder

2.11 STATUS OF SAMPLE

- 1 Wild
- 2 Weedy
- 3 Breeders line
- 4 Primitive cultivar (landrace)
- x 5 Advanced cultivar (bred)
- 6 Other (specify)

2.12 LOCAL/VERNACULAR NAME

Name given by farmer to cultivar/landrace/weed Adina

2.13 NUMBER OF PLANTS SAMPLED

Approximate number of plants collected in the field to produce this accession

2.14 PHOTOGRAPH

Was a photograph taken of the accession or environment at collection?

- 0 = No 0
- + = Yes

2.15 TYPE OF SAMPLE

- 1 Vegetative
- 2 Seed
- 3 Both

2.16 PRIMARY CROP USAGE

- 1 Raw salad
- 2 Fresh cooking
- 3 Stored cooking
- 4 Freezing
- 5 Pickling
- 6 Dehydration
- 7 Other (specify)

2.17 OTHER NOTES FROM COLLECTOR

Collectors will record ecological information. For cultivated crops, cultivation practices such as irrigation, season of sowing, etc. will be recorded

early/medium/late summer/winter cultivar grown from seeds/sets/transplan

Special characters.